



<https://www.uni-luce.com>

+39 339 505 5880

info@uni-luce.com

Via Monselice, 26, 20832 Desio

MB, Italy

ROLLER L



Available colors:

633-WW18

633-BB18

633-WB18

633-BG18

Beam angle: 18° 32°

LED Color: 2700K 3000K 4000K

LED power: 16,3W

System Power: 18W 500mA

CRI: 80

Lumen output: 2395lm

Location: Interior

Fixation: Ceiling

Installation: Recessed

Product dimension: 145x145x135mm

Cut hole size: 132x132mm


Input: 220-240V 50\60Hz

IP: 20

Class: I

DIM Option: ON/OFF DALI TRIAC DTW

UNI
LUCE





<https://www.uni-luce.com>

+39 339 505 5880

info@uni-luce.com

Via Monselice, 26, 20832 Desio

MB, Italy

The ROLLER is a lighting system, with the full flexibility of installation. A black minimalistic box could contain one or two heads. These ROLLER modules can remain encapsulated in the ceiling, or emerge in its entirety and be tilted 90° while rotate 355°, allowing focused illumination in one swift move. The black background inside the cove creates an illusion of unendingness around the light spots, enforcing the fully integrated architectural lighting concept. A range of light refining accessories are available to guarantee optimal optic performance and maximum eye comfort.